

*

vazirimohammadreza@yahoo.com :

*

(/ / : / / :)

Exogyra sp.

Pliotoxaster sp.

()

()

()

Exogyra

Rahimzadeh 1983)

(



)

(

()

(1962) Huckriede *et al.* .

(1973) Dimitrijevic *et al.*



Chamlas, *Pseudolituonella reicheli* Marie, *Pseudocyclammina massiliensis* Maync, *Quinqueloculina* sp. *Minouxia lobata* Gendrot, *Archaeocyclus* sp., *Subalveolina* sp., *Bolivinopsis* sp., *Nummofallotia apula* Luperto Sinni, *Reticulinella* sp., *Lenticulina rotula* Lamarck.

Heterotissotia sp. *Tissotia (subtissotia)* sp. Tissotiidae

(Nakhal & El-Naggar 1994)

***Exogyra olisiponensis* Sharpe**

(:)

Exogyra

calcispherulids, *Helvetoglobotruncana praehelvetica* Trujillo

Hedbergella sp.

***Exogyra mermeti* Albiano**

(:)

Pliotoxaster sp., *Hemiaster syriacus* (Conrad), *Conulus carcharicus* Cotteau, *Tetragramma variolare* (Brongniart), *Temnocidaris* sp., *Micraster* sp.

Exogyra (Exogyra) olisiponensis Sharpe, *Exogyra (Exogyra) mermeti* Albiano, *Exogyra (Exogyra)* sp., *Pholadomya* spp., *Rastellum (Acrostrea)* sp., *Panopea* sp., venerids, cardiids, astartids, pectinids, *Pinna decussata* Goldfuss.

Turritella sp., *Pleurotomaria* sp.

pleurotomariids

***Exogyra* sp.**

(:)

(*Siphonia* sp.)

(*Gibbithyris* sp.)

***Pholadomya* spp.**

(:)

Rotalia skourensis Henson, *Antalya* sp., *Nezzazata* sp., *Trochaminoides* sp., textularids, *Ophthalmidium* sp., *Cuneolina pavonia* (d'Orbigny), miliolids, litulids, *Spiroplectammina* sp., *Dorothia* sp., *Gavelinella* sp., *Nezzazatinella picardi* Henson, *Pseudocyclammina* sp., peneroplids, *Spiroculina* sp., *Prechrysalidina* sp., *Dicyclina schlumbergeri* Munier

Temnocidaris sp.
(:)

(Smith *et al.* 1990)

Temnocidaris

Tetragramma variolare (Brongniart)
(:)

(tubercle)

Siphonia sp.
(:)

Rastellum (Acrostrea) sp.
(:)

Turritella sp.
(:)

Pliotoxaster sp.

(:)

Conulus carcharicus Cotteau

(:)

Exogyra sp.

Hemiaster syriacus (Conrad)


(:)

Hemiaster


Micraster sp.

(:)


	(Brongniart)	<u><i>Pinna decussata</i> Goldfuss</u>	(:)
) ()			
Geys 1985)	(:
	(
(Roman <i>et al.</i> 1989)			
- <i>Temnocidaris</i>			:
(1990) Smith <i>et al.</i>			
<i>Exogyra</i>			
<i>Exogyra (Exogyra) olisiponensis</i> Sharpe		<u><i>Pleurotomaria</i> sp.</u>	
<i>Exogyra</i>		(:)	
<i>Exogyra (Exogyra)</i> (<i>Exogyra mermeti</i> Albiano			:
<i>Pinna</i> .sp.			
Smith &) <i>decussata</i> Goldfuss			:
<i>Rastellum Pholadomya</i> sp.	(Batten 2002		
	(<i>Acrostrea</i>) sp.	<u><i>Gibbithyris</i> sp.</u>	
		(:)	
			:
			(biplicate)
			:
			/
			(1933) Clegg .
			()
	(1895)		
	(1981) Kalantari .		Cotteau & Gauthier
	<i>Conulus</i>		
			<i>carcharicus</i> Cotteau
	<i>Hemiaster syriacus</i>		<i>Pliotoxaster</i> sp.
	Smith <i>et</i>)		(Conrad)
	(Blanckenhorn 1925)		(<i>al.</i> 1990)
	<i>Tetragramma variolare</i>		



Exogyra olisiponensis Sharpe :
Tissotia *Pholadomya* spp. *Exogyra* sp. *Exogyra* cf. *olisiponensis* Sharpe *Exogyra mermeti* Albano
Heterotissotia sp. (*subtissotia*) sp.



Conulus *Pliotoxaster* sp. : *Micraster* sp. *Hemiaster syriacus* (Conrad) *carcharicus* Cotteau
Tetragramma *Temnocidaris* sp. *variolare* (Brongniart)



Venerid bivalve *Panopea* sp. :
Pinna decussata Goldfuss *Turritella* sp. *Rastellum (Acrostrea)* sp. *Sponge* *Siphonia* sp. *Astartid bivalve*
Gibbithyris sp. *Unidentified brachiopod* *Pleurotomaria* sp.

-
- ()
- Blanckenhorn M. 1925: Die Seeigelfauna der Kreide Palastinas. *Palaeontogr.* **67**: 83-113.
- Clegg E.L.G. 1933: Echinoids from the Persian Gulf. *Mem. Geo. Surv. India: Palaeon. Indica New Ser.* **22(1)**: 35.
- Cotteau G., Gauthier V. 1895: *Mission scientifique en Perse par j. De Morgan . Etudes geologique echinides fossiles* **3**: 1-107.
- Dimitrijevic M.D. 1973: Geology of Kerman Region. Institute for Geological and Mining Exploration and Investigation of Nuclear and other mineral Raw materials. Report no. Yu/52, 334 pp.
- El-Nakhal H.A., El-Naggar Z.R. 1994: Review of the biostratigraphy of the Aruma Group (Upper Cretaceous) in the Arabian Peninsula and surrounding regions. *Cretaceous Research* **15(4)**: 401-416.
- Geys J.F. 1985: Regular echinoids from the Cenomanian of Hainaut (Belgium and France). *Bull. de la Soc. Belge de Geo.* **94**: 129-157.
- Hukriede R., Kurstem M. Venziuff H. 1962: Zur Geologie des Gebiets zwischen Kerman und Sagand, Iran. *Beih. Geol. Jahrb.* **51**.
- Kalantari A. 1981: Iranian Fossils. *National Iranian oil company, Geological Laboratories. Publication No.* **9**.
- Rahimzadeh F. 1983: Contribution a la geologie la formation de Kerman (Paleocene) Iran central Etude sedimentologique. *Univ. de Grenoble, France.*
- Roman J., Roger J., Platel J.P., Cavalier C. 1989: Les echinoids du Cretace et du Paleogene du Dhofar (Sultanat d'Oman) et les relations entre les bassins de l'ocean Indien et de la Mediterranee. *Bull. de la Soc. Geo. de France* **(8) 5**: 279-286.
- Smith A.B., Batten D.J. 2002: *Fossils of the Chalk*. The Paleontological Association, second edition.
- Smith A.B, Simmons M.D., Racey A. 1990: Cenomanian echinoids, larger foraminifera and calcareous algae from the Natih Formation, central Oman Mountains. *Cretaceous Res.* **11**: 29-69.